



Residential Product Line

Quality People. Quality Products.



Welcome to Haas Door, a family owned and operated company since 1954. We value our customers and manufacture our garage doors with the highest quality workmanship and raw materials.

Our method is simple. We hire quality people driven to produce quality products. We call ourselves “The Haas Door Family” and that’s the way we operate.

Quality people. Quality products.



As you read forward, allow us to open a door to endless possibilities for you!

haasdoor.com

Contents

5000 Series	p 2-3
Insulated Aluminum / 2" thick / R-17.66	
Insulated Aluminum / 1¾" thick / R-16.18	
American Tradition Series	p 4-7
Carriage House Models	
Insulated Steel / 2" thick / R-13.45	
Residential Aluminum 360 Series	p 8-9
Full View Aluminum / 2" thick	
2000 Series	p 10-11
Insulated Steel / 2" thick / R-17.66	
700 Series	p 12-13
Insulated Steel / 1¾" thick / R-16.18	
600 Series	p 14-15
Insulated Steel / 1¾" thick / R-13.45	
2400 Series	p 16-17
24 Gauge Steel / 2" thick / R-7.45 Available	
2500 Series	p 18-19
25 Gauge Steel / 2" thick / R-7.45 Available	
Wood Collection	p 20-21
Oak, Cherry, Mahogany & Ash	
Window Options	p 22-25
Panel Options & Accessories	p 26
Color Options	p 27
Quality & Environmental Commitment	p 28-29

Create your garage door and view it on your home at **haascreate.com**



5280/5780 in Trinar® polar white




5270/5770 in Trinar® almond with colonial windows



Flush Stucco

Model 5210 (2" thick R-17.66)
Model 5710 (1 3/4" thick R-16.18)

Window Options:
Bevelite p22 (5710 only)
TL p22
Carriage p23
Ranch p24
Standard p25



V-Groove Stucco

Model 5212 (2" thick R-17.66)
Model 5712 (1 3/4" thick R-16.18)

Window Options:
TL p22 (bottom)



Raised Ranch Stucco Panel

Model 5270 (2" thick R-17.66)
Model 5770 (1 3/4" thick R-16.18)

Window Options:
Bevelite p22 (5770 only)
Ranch p24



Raised Standard Stucco Panel

Model 5280 (2" thick R-17.66)
Model 5780 (1 3/4" thick R-16.18)

Window Options:
Bevelite p22 (5780 only)
Standard p25

INSULATED
ALUMINUM

5000
series

5000 Series / 2" or 1 3/4" thick / R-17.66 or 16.88




A Superior Alternative

Mother Nature throws some pretty nasty weather at your home. That's why Haas Door created the 5000 Series: the strength of an insulated garage door combined with long-lasting and rust-resistant aluminum. Filled with dense CFC- free polyurethane foam insulation, 5200 models are 2 inches thick with a calculated R-value of 17.66, while 5700 models are 1 3/4 inches thick and have a calculated R-value of 16.88.

5000 Series doors feature a tough, durable and weather-resistant Trinar® paint finish. Exposed for decades at weathering facilities in South Florida and other locations around the world, testing has proven Trinar® paints are more than capable of withstanding the degrading effects of weather extremes from the equator to the arctic. Backed by a limited lifetime warranty, the 5000 series is built to last while providing distinction and style.

Available Colors



Trinar® Polar White



Trinar® Almond



A Full Thermal Break is used in the tongue-and-groove construction of all 5000 series doors. This rigid vinyl extrusion seals the joints and eliminates metal-to-metal contact, which limits the transfer of temperature.



R Value
17.66

R Value
16.88

922 in sandstone with sandstone overlays and 6 pane windows



931 in almond with single arch 6 pane windows



921 in white with 6 pane windows



940 in white with 6 pane windows, hinges and handles

.....
American
TRADITION
S E R I E S TM
.....

Timeless Beauty.

There are some things that never go out of style. They are timeless; they are classic. That is what Haas Door had in mind when we designed our American Tradition Series™ garage doors. Imagine the beauty of the 1800's carriage house, the tall rooflines, warm gaslights, and the elegant handcrafted wooden doors detailed with wrought iron hardware. At Haas Door we have taken all the elegance of the original wooden carriage house door and translated it into a beautifully wood grained embossed door. The heart of the American Tradition Series™ has 21st century materials. Combined with modern technology, you have a beautiful garage door that provides a stronger barrier to the elements than wood. There is beauty, versatility and quality in the products we produce at Haas Door.



922 in sandstone with almond overlays



941 in white with 3 pane windows



942 in sandstone with white overlays, hinges and handles



920 in sahara tan with 6 pane windows, hinges and handles

American TRADITION SERIES

Enjoy the handcrafted quality and rich traditional carriage house style without the maintenance of wood. The American Tradition Series™ doors contain CFC free polyurethane insulation with a calculated R value of 13.45. They are available in five base colors: white, almond, gray, sandstone and sahara tan. Overlay boards are glued and pinned to the door and painted white as standard. They are also available painted in the five base colors, with an option to mix and match. (example: almond boards on a sandstone door).

Base Color Options



Polar White



Almond



Sahara Tan




Sandstone



Gray


Overlay Color Options



Polar White




Almond



Sahara Tan



Sandstone



Gray

Decorative Hardware

Handles (standard)



Hinges (optional)

Top section design styles

Frosted glass is available in all styles. 1/8" tempered is standard. 1/2" insulated tempered is optional.



Glazed Arch 3 pane



Glazed Arch 6 pane



Solid Arch



Glazed 3 pane




Glazed 6 pane




Solid

Single doors



920 Plain (930 Arch)



921 Plain (931 Arch)



922 Plain (932 Arch)



940 Plain (950 Arch)



941 Plain (951 Arch)




942 Plain (952 Arch)

Double doors



920 Plain (930 Arch)



940 Plain (950 Arch)



921 Plain (931 Arch)



941 Plain (951 Arch)




922 Plain (932 Arch)



942 Plain (952 Arch)

RA 360 in clear anodized rails with 1/4" laminated frosted glass



RA 360 in custom red rails with 1/4" laminated frosted glass




RA 360 in clear anodized rails with 1/4" laminated frosted glass



Available Aluminum Colors



Clear Anodized




Dark Bronze Anodized




Black Anodized



Polar White




Almond



Sahara Tan



Sandstone




Brown



Hunter Green



Gray



Painted Bronze

360 RESIDENTIAL ALUMINUM S E R I E S

RA 360 Series / 1 3/4" thick

Contemporary Style.

Take your home to a new level of sophistication with a 360 Series residential aluminum garage door from Haas Door. Each door is hand crafted and will add a modern contemporary look to any home. These doors feature a clean, sophisticated straight line look that is not only architecturally pleasing but will further enhance the elegance of your home.

Manufactured with rust and corrosion free commercial grade aluminum, each 360 Series door is built with tongue and groove section joints that will remain strong and durable for the life of the door.

The 360 series is available in seven painted finishes, along with three anodized colors. Custom-matched color and powder coating is also available. Glass options include 1/8 inch tempered, 1/4 inch laminate or 1/2 inch insulated tempered glass available in a variety of styles.

Add a new level of elegance to your home by installing a Haas 360 Series garage door today. Watch as your neighbors take notice of the clean, sophisticated and contemporary look. For more information, please visit our website: www.haasdoor.com



2064 in white with hinges and handles



2080 in cool black with colonial windows



Flush Model 2010

Color Options:
All but Oak & Cherry
Window Options:
TL p22 (bottom)
Carriage p23
Ranch p24
Standard p25



V-Groove Model 2012

Color Options:
All colors available
Window Options:
TL p22 (bottom)



Ribbed Short Panel

Color Options:
All colors available
Window Options:
Carriage p23: **Model 2060**
Ranch p24: **Model 2072**
Standard p25: **Model 2082**



Recessed Short Panel

Color Options:
All colors available
Window Options:
Carriage p23: **Model 2061**
Ranch p24: **Model 2071**
Standard p25: **Model 2081**



Ribbed Long Panel

Color Options:
All colors available
Window Options:
Carriage p23: **Model 2064**
Ranch p24: **Model 2074**



Recessed Long

Color Options:
All but Oak & C
Window Option
Carriage p23: M
Ranch p24: Mo

2000 series

2000 Series / 2" thick / R-17.66




2073 in sahara tan with colonial windows



2060 in sandstone with 6 pane arch windows



2010 in bronze



A **Full Thermal Break** is used in the tongue-and-groove construction of all 2000 series doors. This rigid vinyl extrusion seals the joints and eliminates metal-to-metal contact, which limits the transfer of temperature.

Built to Last.

The 2000 Series residential garage doors are not just beautiful, but are among the most energy efficient doors in the market, featuring a calculated R-value of 17.66. The 2000 Series doors are 2 inches thick, manufactured with heavy gauge galvanized steel that incorporates the look of embossed wood grain, and filled with dense CFC free polyurethane foam insulation.

A full line of panel styles and window options are also available. Quality, service, and pride in workmanship are what make Haas doors the best value available on the market. So much so, that each door is backed by a Lifetime Limited Warranty. Imagine the curb appeal our 2000 Series doors will add to your home! For more information, please visit our website at: www.haasdoor.com

R Value
17.66



- | | | | |
|--|---|---|---|
| <p>Panel
Cherry
ns:
Model 2063
del 2073</p> | <p>Raised Ranch Panel
Model 2070
Color Options:
All colors available
Window Options:
Ranch p24</p> | <p>Raised Standard Panel
Model 2080
Color Options:
All colors available
Window Options:
Standard p25</p> | <p>Sculptured Raised Panel
Model 2090
Color Options:
All colors available
Window Options:
Standard p25</p> |
|--|---|---|---|

Built to Last



761 in white with 3 pane windows, hinges and handles

764 in Sandstone with 6 pane arch windows



Flush Model 710
 Color Options:
 All but Oak & Cherry
 Window Options:
 Bevelite & TL p22
 Carriage p23
 Ranch p24
 Standard p25



V-Groove Model 712
 Color Options:
 All colors available
 Window Options:
 TL p22 (bottom)



Ribbed Short Panel
 Color Options:
 All colors available
 Window Options:
 Carriage p23: **Model 760**
 Ranch p24: **Model 772**
 Standard p25: **Model 782**



Recessed Short Panel
 Color Options:
 All colors available
 Window Options:
 Carriage p23: **Model 761**
 Ranch p24: **Model 771**
 Standard p25: **Model 781**



Ribbed Long Panel
 Color Options:
 All colors available
 Window Options:
 Carriage p23: **Model 764**
 Ranch p24: **Model 774**



Recessed Long Panel
 Color Options:
 All but Oak & Cherry
 Window Options:
 Carriage p23: **Model 765**
 Ranch p24: **Model 775**

700 series


700 Series / 1 3/4" thick / R-16.18



780 in white



773 in gray



A **Full Thermal Break** is used in the tongue-and-groove construction of all 700 series doors. This rigid vinyl extrusion seals the joints and eliminates metal-to-metal contact, which limits the transfer of temperature.

Instant Curb Appeal.

The 700 Series Residential Garage Doors from Haas Door are made with heavy gauge galvanized steel and embossed with a deep wood grain. Combined with 1 3/4" thick, CFC free polyurethane, the 700 series is engineered for maximum energy efficiency and years of maintenance free use. A full range of color and window options, plus Limited Lifetime Warranty make the 700 series the ideal choice to add beauty and value to your home. For more information, please visit our website at:

www.haasdoor.com

R Value
16.18



Panel

**Raised Ranch Panel
Model 770**

Color Options:
All colors available

Window Options:
Bevelite p22
Ranch p24

**Raised Standard Panel
Model 780**

Color Options:
All colors available

Window Options:
Bevelite p22
Standard p25

**Raised Ranch Panel
Model 790**

Color Options:
All colors available

Window Options:
Bevelite p22
Standard p25

Cherry
ns:
**Model 763
Model 773**

663 in white with 3 pane windows, hinges and handles



660 in sandstone with 6 pane windows, hinges and handles



Flush Model 610

Color Options:
All but Oak & Cherry
Window Options:
Bevelite & TL p22
Carriage p23
Ranch p24
Standard p25



V-Groove Model 612

Color Options:
All colors available
Window Options:
TL p22 (bottom)



Ribbed Short Panel

Color Options:
All colors available
Window Options:
Carriage p23: **Model 660**
Ranch p24: **Model 672**
Standard p25: **Model 682**



Recessed Short Panel

Color Options:
All colors available
Window Options:
Carriage p23: **Model 661**
Ranch p24: **Model 671**
Standard p25: **Model 681**



Ribbed Long Panel

Color Options:
All colors available
Window Options:
Carriage p23: **Model 664**
Ranch p24: **Model 674**



Recessed Long Panel

Color Options:
All but Oak & Cherry
Window Options:
Carriage p23: **Model 665**
Ranch p24: **Model 675**



670 in sandstone



680 in white

600 Series

600 Series / 1 3/8" thick / R-13.45

Make a Statement.

The 600 Series combines the look of deep embossed wood grain with the strength and durability of heavy gauge galvanized steel for years of virtually maintenance free use without the worry of warping, cracking, or rotting. This series provides maximum energy efficiency with 1 3/8" thick, CFC free, polyurethane insulation that provides more than five times the insulating value of wood. Backed by a Limited Lifetime Warranty, the 600 Series is ideal in all climates and offers a full range of color and window options. Adding beauty and value to your home has never been so easy!



A **Full Thermal Break** is used in the tongue-and-groove construction of all 600 series doors. This rigid vinyl extrusion seals the joints and eliminates metal-to-metal contact, which limits the transfer of temperature

Raised Ranch Panel Model 670

Color Options:
All colors available
Window Options:
Bevelite p22
Ranch p24

Raised Standard Panel Model 680

Color Options:
All colors available
Window Options:
Bevelite p22
Standard p25

Raised Ranch Panel Model 690

Color Options:
All colors available
Window Options:
Bevelite p22
Standard p25



2480 in almond

2480 in sandstone



Flush Models 2410/2410L*

Color Options:
White, Almond, Sandstone, Brown
Window Options:
TL p22 (bottom)
Carriage p23
Ranch p24
Standard p25



Ribbed Short Panel

Color Options:
White, Almond, Sandstone, Brown
Window Options:
Carriage p23: **Models 2460/2460L***
Ranch p24: **Models 2472/2472L**
Standard p25: **Models 2482/2482L***



Recessed Short Panel

Color Options:
White, Almond, Sandstone, Brown
Window Options:
Carriage p23: **Models 2461/2461L***
Ranch p24: **Models 2471/2471L***
Standard p25: **Models 2481/2481L***



**Raised Ranch Panel
Models 2470/2470L***

Color Options:
White, Almond, Sandstone, Brown
Window Options:
Ranch p24



Available Colors



Polar White



Almond



Sandstone



Brown



2460 in white with 6 pane windows, hinges and handles

2400 series

2400 Series / 2" thick / R-7.45 available

Superior Craftsmanship.

The 2400 Series is a high quality, low maintenance line of garage doors designed to add distinction to any home. Experience the look of deeply embossed wood grain with the strength and durability of 24 gauge galvanized steel. The 2400 Series offers the look of wood without the worry of warping, cracking, or rotting.

The 2400 Series carries a Limited Lifetime Warranty as well as a full range of options including glazing, pre-finished color, and window style. Also available is an upgrade to energy efficient insulation with the 2410L, 2460L, 2470L and 2480L models. Adding beauty and value to your home has never been so easy!



Raised Standard Panel
Models 2480/2480L*

Color Options:
White, Almond, Sandstone, Brown

Window Options:
Standard p25



Tongue-and-groove construction is used in the manufacturing of all 2400 series doors. The door shown includes optional polystyrene insulation panel. (exterior cross section view)

* L indicates energy efficient insulation option

Available Colors



Polar White



Almond



Sandstone



Brown



2570 in white with sunset windows



Ribbed Short Panel
 Color Options:
 White, Almond, Sandstone, Brown
 Window Options:
 Carriage p23: **Models 2560/2560L***
 Ranch p24: **Models 2572/2572L***
 Standard p25: **Models 2582/2582L***



Recessed Short Panel
 Color Options:
 White, Almond, Sandstone, Brown
 Window Options:
 Carriage p23: **Models 2561/2561L***
 Ranch p24: **Models 2571/2571L***
 Standard p25: **Model 2581/2581L***



Raised Ranch Panel
Models 2570/2570L*
 Color Options:
 White, Almond, Sandstone, Brown
 Window Options:
 Ranch p24




Raised Ranch Panel
Models 2580/2580L*
 Color Options:
 White, Almond, Sandstone, Brown
 Window Options:
 Standard p25

* L indicates energy efficient insulation option

2560 in sandstone with
6-pane double arch
windows

2500 *series*

2500 Series / 2" thick / R-7.45 available



Exceptional Value.

The 2500 Series is an attractive garage door line that combines the strength and durability of 25 gauge galvanized steel with the handsome appearance of natural wood grain. Built economically without sacrificing quality, the 2500 Series is an unmistakable value that will complement the appearance of any home.



2580 in white with cascade windows

The 2500 residential garage door series is engineered to offer beauty, practicality and affordability. An upgrade to energy efficient insulation is also available with the 2560L, 2570L and 2580L models. As always, our doors are backed by a Limited Lifetime Warranty against rust through, warping or cracking.



Tongue-and-groove construction is used in the manufacturing of all 2500 series doors. The door shown includes optional polystyrene insulation panel. (exterior cross section view)

Exceptional Value



oak in ribbed short panel with hinges and handles




Smooth Oak



Embossed Ash



cherry in raised panel with plain windows and handles



cherry in ribbed short panel with 6-pane arch windows



Smooth Cherry



Embossed Mahogany

WOOD COLLECTION

Wood Collection

The Beauty of Wood Without the Maintenance.

The Haas Door Wood Collection doors are available in a baked on custom finish that gives you the exact appearance of real wood. They are crafted from 26 gauge, galvanized steel, and available on our 600, 700 and 2000 series residential doors. All of this beauty comes without the maintenance of wood or fiberglass, and is covered by our Limited Lifetime Warranty. With the Haas Door Wood Collection no one will know the difference unless you tell them.

The Beauty of Wood

Bevelite™ Standard Series Windows

5710, 5780

710, 780, 781, 782, 790

610, 680, 681, 682, 690

1/4" Acrylic


Not Available in 5200 & 2000 Series



Brighton Standard



Cambridge Standard



Sun Sail Standard

Bevelite™ Ranch Series Windows

5710, 5770

710, 770, 771, 772, 773, 774

610, 670, 671, 672, 673, 674

1/4" Acrylic

Not Available in 5200 & 2000 Series



Brighton Ranch



Cambridge Ranch



Sun Sail Ranch

TL Series Windows

5210, 5212

2010, 2012

3/4" insulated

5710, 5712

710, 712

610, 612

1/2" insulated



TL Lite (25" x 12")



Small TL Lite (24" x 6")

Carriage House Series Windows

5210

2010, 2060, 2061, 2062, 2063, 2064

3/4" Insulated

3/4" Insulated Frosted

5710

710, 760, 761, 762, 763, 764

610, 660, 661, 662, 663, 664

1/8" Tempered, 1/8" Tempered Frosted

1/2" Insulated, 1/2" Insulated Frosted

2410, 2460, 2461

2560, 2561

1/8" Tempered

1/8" Tempered Frosted



3-Pane



3-Pane Single Arch



3-Pane Double Arch



4-Pane



4-Pane Single Arch



4-Pane Double Arch



6-Pane



6-Pane Single Arch



6-Pane Double Arch



8-Pane



8-Pane Single Arch



8-Pane Double Arch



Plain

Ranch Series Windows

5210, 5270

2010, 2070, 2071, 2072, 2073, 2074

1/2" Insulated

1/2" Insulated Frosted

5710, 5770

710, 770, 771, 772, 773, 774

610, 670, 671, 672, 673, 674

1/8" Tempered, 1/8" Tempered Frosted

1/2" Insulated, 1/2" Insulated Frosted

2410, 2470, 2471, 2472

2570, 2571, 2572

1/8" Tempered

1/8" Tempered Frosted



Cascade



Cathedral



Colonial



Plain



Prairie



Sherwood



Sunburst



Sunset

Standard Series Windows

5210, 5280
2010, 2080, 2081, 2082, 2090
 1/2" Insulated
 1/2" Insulated Frosted

5710, 5780
710, 780, 781, 782, 790
610, 680, 681, 682, 690
 1/8" DSB, 1/8" DSB Frosted
 1/2" Insulated, 1/2" Insulated Frosted

2410, 2480, 2481, 2482
2580, 2581, 2582
 1/8" DSB
 1/8" DSB Frosted



Cascade



Cathedral



Colonial



Note: Interior dividers inside the glass are white only

(Not available in 2400 and 2500 series) St. Edward



Plain



Prairie



Sherwood



Sunburst



Sunset



Sunset

Panel Options



Flush



V-Groove



Ribbed Short Panel



Recessed Short Panel



Ribbed Long Panel



Recessed Long Panel



Ranch Panel



Raised Standard Panel



Sculptured Raised Panel




Weather Seal and Wind Load

All Haas garage doors include a heavy vinyl bottom weather seal that seals out the elements and repels the most hostile weather conditions.

Haas garage doors are available in a wide range of design pressures for wind load requirements. Contact your local dealer for more information about wind load requirements in your area.

Accessories

Optional decorative hardware is available on all models



Hinges (optional)



Handles (standard on 2060 760 660 246 256)



Black nylon, white nylon, 10 ball steel roller



Powder Coated Hardware Options

Color Options

Basic Colors

Polar White



Almond



Sandstone



Brown



Standard Colors (not available in 2400 & 2500 series)

Gray



Sahara Tan



Bronze



Hunter Green



Premium Colors (not available in 2400 & 2500 series)

Smooth Oak



Smooth Cherry



Embossed Ash



Embossed Mahogany



Trinar® White*



Trinar® Beige*



Trinar® Brown*



Cool Black**



*Trinar® colors carry a 35 year finish warranty, making them ideal for projects that require lasting durability and beauty.

**Cool Black includes a cool chemistry paint finish but is not recommended for projects with extreme exposures to heat and light.

Due to the printing process, colors may vary. For the most accurate color match, see your Haas Door dealer for a metal color selector.

Unique Paint System

All Haas steel garage doors include a three-tier, corrosion resistant protective finish with a polyurethane prime and a durable polyester finish coat on the interior and exterior. Haas Door's paint thickness is one of the highest in the industry.



Haas Door is Committed to Quality.

As a member of the Door and Access Systems Manufacturers Association (DASMA), Haas Door is committed to industry standards for quality and safety. In addition to these guidelines, Haas Door has developed its own quality assurance procedures.

Each raw material used in the manufacturing process is inspected daily for quality assurance. Steel used on the inside and outside skins is checked for accuracy in thickness and finish. The insulation material, a high density CFC free polyurethane foam, is tested continuously on each production line to insure that the correct density, blend of material, cure time and calculated R-values are achieved.

Samples of manufactured doors are tested for quality and durability. Doors are cycled tens of thousands of times to test the performance and endurance of the sections, hinges, springs, cables, rollers, bottom seals, and track. Strength is measured using two separate tests. Individual sections are subjected to a dead load test and complete doors are wind load tested. This ensures that Haas garage doors will meet wind load requirements for building codes across the country.

Haas continues to perform testing outside of the manufacturing facility, as both prototype and current doors are installed in various locations and monitored for durability. External labs are also used to test specific components to ensure quality standards.

Quality people and quality products are what make Haas Door the best garage door manufacturer in the industry. Open the door to endless possibilities!





Environmental Responsibility

Haas Door Company manufactures all garage doors in the U.S. and is committed to providing quality products that are safe for our customers and to the environment. Haas garage doors are made from steel that contains 80% recycled material. A plastic thermal break, made with recycled materials, separates each door section to eliminate metal-to-metal contact and the transfer of temperature. Haas also uses CFC-free polyurethane insulation, which results in some of the most energy-efficient doors on the market. Good for the environment, and saves energy!

Haas Door has also implemented an ongoing improvement plan to gain efficiency and reduce waste, including a recycling program for scrap metal, cardboard and plastic. Many suppliers are regional, which minimizes fuel costs and material packaging is reused or recycled whenever possible.



Rev 1.7
© Haas Door 2014

320 Sycamore

Wauseon, OH 43567

haasdoor.com

open the door to
endless possibilities

